The Journal of Cell Biology

Volume 120, 1993



Edited in cooperation with
The American Society for Cell Biology
Published semimonthly by
The Rockefeller University Press
Copyediting and Production
Suzanne M. Runyan,
Carol E. Toscano,
Robert J. O'Donnell, and
Linda Thraysbule

Editor-in-Chief

Norton B. Gilula

Associate Editors

Richard G. W. Anderson
Don W. Cleveland
Werner Franke
Kenneth Yamada

Editorial Board

Helen Blau
Graham Carpenter
Nam-Hai Chua
John Cooper
Sara Courtneidge
Susan W. Craig
Bruce Cunningham
Caroline Damsky
Harold P. Erickson
Elaine Fuchs
Susan M. Gasser
Larry Gerace
Larry Goldstein
Alan F. Horwitz
R. L. Juliano
Judith Kimble
Richard Klausner
Hynda Kleinman
Susan Lowey
Elizabeth Luna
Frederick Maxfield
Jacopo Meldolesi
Timothy J. Mitchison
Ronald Morris
Walter Neupert
Bjorn Olsen
Suzanne Pfeffer
Thomas Pollard
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Richard Rotundo
Richard Scheller
Victor Small
Murray Stewart
Ron Vale
Frank S. Walsh

Copyright © 1993 by The Rockefeller University Press

Contents:

Volume 120, Number 1, January 1993

Mini-Review

1 **Functional redundancy in mitotic force generation.**
L. S. B. Goldstein

Regular Articles

5 **Overlapping distribution of two glycosyltransferases in the Golgi apparatus of HeLa cells.**
T. Nilsson, M. Pypaert, M. H. Hoe, P. Slusarewicz, E. G. Berger, and G. Warren

15 **Tubulation of Golgi membranes in vivo and in vitro in the absence of brefeldin A.**
E. B. Cluett, S. A. Wood, M. Banta, and W. J. Brown

25 **Unconfined lateral diffusion and an estimate of pericellular matrix viscosity revealed by measuring the mobility of gold-tagged lipids.**
G. M. Lee, F. Zhang, A. Ishihara, C. L. McNeil, and K. A. Jacobson

37 **Multiple GTP-binding proteins participate in clathrin-coated vesicle-mediated endocytosis.**
L. L. Carter, T. E. Redelmeier, L. A. Woollenweber, and S. L. Schmid

47 **The appendage domain of the AP-2 subunit is not required for assembly or invagination of clathrin-coated pits.**
J. S. Peeler, W. C. Donzell, and R. G. W. Anderson

55 ***end2* and *end4*: Two mutants defective in receptor-mediated and fluid-phase endocytosis in *Saccharomyces cerevisiae*.**
S. Raths, J. Rohrer, F. Crausaz, and H. Riezman

67 **Phosphorylation of the cation-independent mannose-6-phosphate receptor is closely associated with its exit from the *trans*-Golgi network.**
S. Méresse and B. Hoflack

77 **Annexin I is phosphorylated in the multivesicular body during the processing of the epidermal growth factor receptor.**
C. E. Futter, S. Felder, J. Schlessinger, A. Ullrich, and C. R. Hopkins

85 **Consumption of EGF by A431 cells: Evidence for receptor recycling.**
H. Masui, L. Castro, and J. Mendelsohn

95 **Reconstitution of protein translocation from solubilized yeast membranes reveals topologically distinct roles for BiP and cytosolic Hsc70.**
J. L. Brodsky,, S. Hamamoto, D. Feldheim, and R. Schekman

103 **Identification of intermediates in the pathway of protein import into chloroplasts and their localization to envelope contact sites.**
D. J. Schnell and G. Blobel

117 **Golgi-derived vesicles from developing epithelial cells bind actin filaments and possess myosin-I as a cytoplasmically oriented peripheral membrane protein.**
K. R. Fath and D. R. Burgess

129 **Ezrin contains cytoskeleton and membrane binding domains accounting for its proposed role as a membrane-cytoskeletal linker.**
M. Algrain, O. Turunen, A. Vaheri, D. Louvard, and M. Arpin

141 **Three-dimensional reconstruction and analysis of mitotic spindles from the yeast, *Schizosaccharomyces pombe*.**
R. Ding, K. L. McDonald, and J. R. McIntosh

153 **Suppression of the *bimC4* mitotic spindle defect by deletion of *klpA*, a gene encoding a KAR3-related kinesin-like protein in *Aspergillus nidulans*.**
M. J. O'Connell, P. B. Meluh, M. D. Rose, and N. R. Morris

163 ***Dictyostelium* mutants lacking the cytoskeletal protein coronin are defective in cytokinesis and cell motility.**
E. L. de Hostos, C. Rehfueß, B. Bradtke, D. R. Waddell, R. Albrecht, J. Murphy, and G. Gerisch

175 **Determinants of the translational mobility of a small solute in cell cytoplasm.**
H. P. Kao, J. R. Abney, and A. S. Verkman

185 **Tyrosine phosphorylation and acetylcholine receptor cluster formation in cultured *Xenopus* muscle cells.**
L. P. Baker and H. B. Peng

197 **A role of tyrosine phosphorylation in the formation of acetylcholine receptor clusters induced by electric fields in cultured *Xenopus* muscle cells.**
H. B. Peng, L. P. Baker, and Z. Dai

205 **Induction of neuron-specific tropomyosin mRNAs by nerve growth factor is dependent on morphological differentiation.**
R. P. Weinberger, R. C. Henke, O. Tolhurst, P. L. Jeffrey, and P. Gunning

217 **Coordinate changes in gene expression which mark the spinous to granular cell transition in epidermis are regulated by protein kinase C.**
A. A. Dlugosz and S. H. Yuspa

227 **A human homologue of the rat metastasis-associated variant of CD44 is expressed in colorectal carcinomas and adenomatous polyps.**
K.-H. Heider, M. Hofmann, E. Horst, F. van den Berg, H. Ponta, P. Herrlich, and S. T. Pals

235 **Parathyroid hormone-related peptide as an endogenous inducer of parietal endoderm differentiation.**
A. van de Stolpe, M. Karperien, C. W. G. M. Löwik, H. Jüppner, G. V. Segre, A.-B. Abou-Samra, S. W. de Laat, and L. H. K. Defize

245 **TGFβ suppresses casein synthesis in mouse mammary explants and may play a role in controlling milk levels during pregnancy.**
S. D. Robinson, A. B. Roberts, and C. W. Daniel

253 **Extracellular matrix regulates expression of the TGF-β1 gene.**
C. H. Streuli, C. Schmidhauser, M. Kobrin, M. J. Bissell, and R. Derynck

261 **Integrins in point contacts mediate cell spreading: Factors that regulate integrin accumulation in point contacts vs. focal contacts.**
N. Tawil, P. Wilson, and S. Carbonetto

Volume 120, Number 2, January 1993

277 **Histone H4 acetylation and transcription in amphibian chromatin.**
J. Sommerville, J. Baird, and B. M. Turner

291 **Overlapping domains of the heterochromatin-associated protein HP1 mediate nuclear localization and heterochromatin binding.**
J. A. Powers and J. C. Eissenberg

301 **Structure of the colcemid-treated PtK_1 kinetochore outer plate as determined by high voltage electron microscopic tomography.**
B. F. McEwen, J. T. Arena, J. Frank, and C. L. Rieder

313 **Ran/TC4: A small nuclear GTP-binding protein that regulates DNA synthesis.**
M. Ren, G. Drivas, P. D'Eustachio, and M. G. Rush

325 **Molecular cloning, characterization, subcellular localization and dynamics of p23, the mammalian KDEL receptor.**
B. L. Tang, S. H. Wong, X. L. Qi, S. H. Low, and W. Hong

339 **An integral membrane glycoprotein associated with an endocytic compartment of *Trypanosoma vivax*: Identification and partial characterization.**
B. A. Burleigh, C. W. Wells, M. W. Clarke, and P. R. Gardiner

353 **Correctly sorted molecules of a GPI-anchored protein are clustered and immobile when they arrive at the apical surface of MDCK cells.**
L. A. Hannan, M. P. Lisanti, E. Rodriguez-Boulan, and M. Edidin

359 **Cloning, functional analysis and cell localization of a kidney proximal tubule water transporter homologous to CHIP28.**
R. Zhang, W. Skach, H. Hasegawa, A. N. van Hoek, and A. S. Verkman

371 **CHIP28 water channels are localized in constitutively water-permeable segments of the nephron.**
S. Nielsen, B. L. Smith, E. I. Christensen, M. A. Knepper, and P. Agre

385 **A family of cation ATPase-like molecules from *Plasmodium falciparum*.**
S. Krishna, G. Cowan, J. C. Meade, R. A. Wells, J. R. Stringer, and K. J. Robson

399 **Changes in architecture of the Golgi complex and other subcellular organelles during myogenesis.**
E. Ralston

411 **Tropomodulin is associated with the free (pointed) ends of the thin filaments in rat skeletal muscle.**
V. M. Fowler, M. A. Sussman, P. G. Miller, B. E. Flucher, and M. P. Daniels

421 **Cofilin is an essential component of the yeast cortical cytoskeleton.**
A. L. Moon, P. A. Janmey, K. A. Louie, and D. G. Drubin

437 **Concentration of an integral membrane protein, CD43 (leukosialin, sialophorin), in the cleavage furrow through the interaction of its cytoplasmic domain with actin-based cytoskeletons.**
S. Yonemura, A. Nagafuchi, N. Sato, and S. Tsukita

451 **Dynamics of microtubules bundled by microtubule associated protein 2C (MAP2C).**
T. Umeyama, S. Okabe, Y. Kanai, and N. Hirokawa

467 **GTPγS inhibits organelle transport along axonal microtubules.**
G. S. Bloom, B. W. Richards, P. L. Leopold, D. M. Ritchey, and S. T. Brady

477 **Monoconal antibody 7H6 reacts with a novel tight junction-associated protein distinct from ZO-1, cingulin and ZO-2.**
Y. Zhong, T. Saitoh, T. Minase, N. Sawada, K. Enomoto, and M. Mori

485 **Antennapedia homeobox peptide enhances growth and branching of embryonic chicken motoneurons in vitro.**
E. Bloch-Gallego, I. Le Roux, A. H. Joliot, M. Volovitch, C. E. Henderson, and A. Prochiantz

493 **Biosynthesis and in vivo localization of the decapentaplegic-Vg-related protein, DVR-6 (bone morphogenetic protein-6).**
N. A. Wall, M. Blessing, C. V. E. Wright, and B. L. M. Hogan

503 **Phosphorylation-site mutagenesis of the growth-associated protein GAP-43 modulates its effects on cell spreading and morphology.**
F. Widmer and P. Caroni

513 **Identification and characterization of a tumor cell receptor for CSVTCG, a thrombospondin adhesive domain.**
G. P. Tuszynski, V. L. Rothman, M. Papale, B. K. Hamilton, and J. Eyal

523 **Interaction of integrins $\alpha_3\beta_1$ and $\alpha_2\beta_1$: Potential role in keratinocyte intercellular adhesion.**
B. E. Symington, Y. Takada, and W. G. Carter

537 **Multiple functional forms of the integrin VLA-2 can be derived from a single α^2 cDNA clone: Interconversion of forms induced by an anti-β_1 antibody.**
B. M. C. Chan and M. E. Hemler

545 **A subpopulation of Mac-1 (CD11b/CD18) molecules mediates neutrophil adhesion to ICAM-1 and fibrinogen.**
M. S. Diamond and T. A. Springer

557 **Structure and binding properties of collagen type XIV isolated from human placenta.**
J. C. Brown, K. Mann, H. Wiedemann, and R. Timpl

Volume 120, Number 3, February 1993

Mini-Reviews

577 **Signal transduction from the extracellular matrix.**
R. L. Juliano and S. Haskill

587 **Transvection, nuclear structure, and chromatin proteins.**
C.-t. Wu

Regular Articles

591 **The onset of homologous chromosome pairing during *Drosophila melanogaster* embryogenesis.**
Y. Hiraoka, A. F. Dernburg, S. J. Parmelee, M. C. Rykowski, D. A. Agard, and J. W. Sedat

601 **Topoisomerase II does not play a scaffolding role in the organization of mitotic chromosomes assembled in *Xenopus* egg extracts.**
T. Hirano and T. J. Mitchison

613 **Mitotic repression of transcription in vitro.**
P. Hartl, J. Gottesfeld, and D. J. Forbes

625 **The human gene AHNAK encodes a large phosphoprotein located primarily in the nucleus.**
E. Shtivelman and J. M. Bishop

631 **The first membrane spanning region of the lamin B receptor is sufficient for sorting to the inner nuclear membrane.**
S. Smith and G. Blobel

639 **Expression of the murine small heat shock proteins hsp 25 and αB crystallin in the absence of stress.**
R. Klemenz, A.-C. Andres, E. Fröhli, R. Schäfer, and A. Aoyama

647 **Posttranslational folding of vesicular stomatitis virus G protein in the ER: Involvement of noncovalent and covalent complexes.**
A. de Silva, I. Braakman, and A. Helenius

657 **Biosynthesis of glycosylphosphatidylinositol (GPI)-anchored membrane proteins in intact cells: Specific amino acid requirements adjacent to the site of cleavage and GPI attachment.**
K. Kodukula, L. D. Gerber, R. Amthauer, L. Brink, and S. Udenfriend

665 **Two independent peroxisomal targeting signals in catalase A of *Saccharomyces cerevisiae*.**
F. Kragler, A. Langeder, J. Raupachova, M. Binder, and A. Hartig

675 **Cytosol-dependent peroxisomal protein import in a permeabilized cell system.**
M. Wendland and S. Subramani

687 **Breaching the diffusion barrier that compartmentalizes the transmembrane glycoprotein CE9 to the posterior-tail plasma membrane domain of the rat spermatozoon.**
C. L. Nehme, M. M. Cesario, D. G. Myles, D. E. Koppel, and J. R. Bartles

695 **Actin microfilaments play a critical role in endocytosis at the apical but not the basolateral surface of polarized epithelial cells.**
T. A. Gottlieb, I. E. Ivanov, M. Adesnik, and D. D. Sabatini

711 **Elastic filaments in situ in cardiac muscle: Deep-etch replica analysis in combination with selective removal of actin and myosin filaments.**
T. Funatsu, E. Kono, H. Higuchi, S. Kimura, S. Ishiwata, T. Yoshioka, K. Maruyama, and S. Tsukita

725 **Characterization of the tubulin-tyrosine ligase.**
K. Ersfeld, J. Wehland, U. Plessmann, H. Dodemont, V. Gerke, and K. Weber

733 ***ptx1*, a nonphototactic mutant of *Chlamydomonas*, lacks control of flagellar dominance.**
C. J. Horst and G. B. Witman

743 **Ectopic synthesis of epidermal cytokeratins in pancreatic islet cells of transgenic mice interferes with cytoskeletal order and insulin production.**
M. Blessing, U. Rüther, and W. W. Franke

757 **Loss of epithelial differentiation and gain of invasiveness correlates with tyrosine phosphorylation of the E-cadherin/β-catenin complex in cells transformed with a temperature-sensitive v-SRC gene.**
J. Behrens, L. Vakaet, R. Friis, E. Winterhager, F. Van Roy, M. M. Mareel, and W. Birchmeier

767 **Cyclic AMP distinguishes between two functions of acidic FGF in a rat bladder carcinoma cell line.**
B. Boyer and J. P. Thiery

777 **Adhesion-dependent protein tyrosine phosphorylation in neutrophils treated with tumor necrosis factor.**
M. Fuortes, W.-W. Jin, and C. Nathan

785 **Neutrophil migration across cultured intestinal epithelial monolayers is modulated by epithelial exposure to IFN-γ in a highly polarized fashion.**
S. P. Colgan, C. A. Parkos, C. Delp, M. A. Arnaout, and J. L. Madara

799 **Interaction of astrochondrin with extracellular matrix components and its involvement in astrocyte process formation and cerebellar granule cell migration.**
A. Streit, C. Nolte, T. Rásonyi, and M. Schachner

815 **Functional characterization of chondroitin sulfate proteoglycans of brain: Interactions with neurons and neural cell adhesion molecules.**
M. Grumet, A. Flaccus, and R. U. Margolis

825 **Hyaluronan receptor-directed assembly of chondrocyte pericellular matrix.**
C. B. Knudson

Volume 120, Number 4, February 1993

841 **Assembly of snRNP-containing coiled bodies is regulated in interphase and mitosis—evidence that the coiled body is a kinetic nuclear structure.**
M. Carmo-Fonseca, J. Ferreira, and A. I. Lamond

853 **180-kD ribosome receptor is essential for both ribosome binding and protein translocation.**
A. J. Savitz and D. I. Meyer

865 **Cytosolic Sec13p complex is required for vesicle formation from the endoplasmic reticulum in vitro.**
N. K. Pryer, N. R. Salama, R. Schekman, and C. A. Kaiser

877 **Transient translocation of the cytoplasmic (endo) domain of a type I membrane glycoprotein into cellular membranes.**
N. Liu and D. T. Brown

885 **Granzymes A and B are targeted to the lytic granules of lymphocytes by the mannose-6-phosphate receptor.**
G. M. Griffiths and S. Isaaz

897 **The differential degradation of two cytosolic proteins as a tool to monitor autophagy in hepatocytes by immunocytochemistry.**
C. Rabouille, G. J. Strous, J. D. Crapo, H. J. Geuze, and J. W. Slot

909 **The integral membrane protein, ponticulin, acts as a monomer in nucleating actin assembly.**
C. P. Chia, A. Shariff, S. A. Savage, and E. J. Luna

923 **Flexural rigidity of microtubules and actin filaments measured from thermal fluctuations in shape.**
F. Gittes, B. Mickey, J. Nettleton, and J. Howard

935 **Observation and quantification of individual microtubule behavior in vivo: Microtubule dynamics are cell-type specific.**
E. Shelden and P. Wadsworth

947 **NuMA is required for the proper completion of mitosis.**
D. A. Compton and D. W. Cleveland

959 **BIMA, a TPR-containing protein required for mitosis, localizes to the spindle pole body in *Aspergillus nidulans*.**
P. M. Mirabito and N. R. Morris

969 **The Ca^{2+}-release channel/ryanodine receptor is localized in junctional and corbular sarcoplasmic reticulum in cardiac muscle.**
A. O. Jorgensen, A. C.-Y. Shen, W. Arnold, P. S. McPherson, and K. P. Campbell

981 **"*Trans*-differentiation" from epidermal to mesenchymal/myogenic phenotype is associated with a drastic change in cell–cell and cell–matrix adhesion molecules.**
P. Boukamp and N. E. Fusenig

995 **Role of the latent TGF-β binding protein in the activation of latent TGF-β by co-cultures of endothelial and smooth muscle cells.**
R. Flaumenhaft, M. Abe, Y. Sato, K. Miyazono, J. Harpel, C.-H. Heldin, and D. B. Rifkin

1003 **Spreading of human endothelial cells on fibronectin or vitronectin triggers elevation of intracellular free calcium.**
M. A. Schwartz

1011 **Oxidized low density lipoprotein inhibits the migration of aortic endothelial cells in vitro.**
G. Murugesan, G. M. Chisolm, and P. L. Fox

1021 **$\alpha_{IIb}\beta_3$ integrin dissociation induced by EDTA results in morphological changes of the platelet surface-connected canalicular system with differential location of the two separate subunits.**
C. Gachet, D. Hanau, D. Spehner, C. Brisson, J.-C. Garaud, D. A. Schmitt, P. Ohlmann, and J.-P. Cazenave

1031 **The I domain is a major recognition site on the leukocyte integrin Mac-1 (CD11b/CD18) for four distinct adhesion ligands.**
M. S. Diamond, J. Garcia-Aguilar, J. K. Bickford, A. L. Corbi, and T. A. Springer

1045 **Dominant negative mutation in cell surface β1,4-galactosyltransferase inhibits cell–cell and cell–matrix interactions.**
S. C. Evans, L. C. Lopez, and B. D. Shur

1059 **Identification and characterization of thrombospondin-4, a new member of the thrombospondin gene family.**
J. Lawler, M. Duquette, C. A. Whittaker, J. C. Adams, K. McHenry, and D. W. DeSimone

1069 **ADDENDUM**

1071 **ADDITIONS AND CORRECTIONS**

1073 **ADDITIONS AND CORRECTIONS**

1075 **Placement Service Notices**

Volume 120, Number 5, March 1993

Perspective

1079 **Gene knockouts of c-*src*, transforming growth factor β1, and tenascin suggest superfluous, nonfunctional expression of proteins.**
H. P. Erickson

Regular Articles

1983 **Mapping DNA within the mammalian kinetochore.**
C. A. Cooke, D. P. Bazett-Jones, W. C. Earnshaw, and J. B. Rattner

1093 **The amino-terminal domain of the lamin B receptor is a nuclear envelope targeting signal.**
B. Soullam and H. J. Worman

1101 **The constitutive and stress inducible forms of hsp 70 exhibit functional similarities and interact with one another in an ATP-dependent fashion.**
C. R. Brown, R. L. Martin, W. J. Hansen, R. P. Beckmann, and W. J. Welch

1113 **GTPase domain of the 54-kD subunit of the mammalian signal recognition particle is required for protein translocation but not for signal sequence binding.**
D. Zopf, H. D. Bernstein, and P. Walter

1123 **Localization of TGN38 to the *trans*-Golgi network: Involvement of a cytoplasmic tyrosine–containing sequence.**
J. S. Humphrey, P. J. Peters, L. C. Yuan, and J. S. Bonifacino

1137 **Inositol 1,4,5-trisphosphate receptor expression in cardiac myocytes.**
M. C. Moschella and A. R. Marks

1147 **Calcium pump of the plasma membrane is localized in Caveolae.**
T. Fujimoto

1159 **Complementary distributions of vinculin and dystrophin define two distinct sarcolemma domains in smooth muscle.**
A. J. North, B. Galazkiewicz, T. J. Byers, J. R. Glenney, Jr., and J. V. Small

1169 **A 27,000-D core of the *Dictyostelium* 34,000-D protein retains Ca^{2+}-regulated actin cross-linking but lacks bundling activity.**
M. Fechheimer and R. Furukawa

1177 **Do photobleached fluorescent microtubules move?: Re-evaluation of fluorescence laser photobleaching both in vitro and in growing *Xenopus* axon.**
S. Okabe and N. Hirokawa

1187 **Regulation of cytoplasmic division of *Xenopus* embryo by *rho* p21 and its inhibitory GDP/GTP exchange protein (*rho* GDI).**
K. Kishi, T. Sasaki, S. Kuroda, T. Itoh, and Y. Takai

1197 **Inhibition of *mos*-induced oocyte maturation by protein kinase A.**
I. Daar, N. Yew, and G. F. Vande Woude

1203 **The a-factor transporter (*STE6* gene product) and cell polarity in the yeast *Saccharomyces cerevisiae*.**
K. Kuchler, H. G. Dohlman, and J. Thorner

1217 **Spatial and temporal dissection of immediate and early events following cadherin-mediated epithelial cell adhesion.**
H. McNeill, T. A. Ryan, S. J. Smith, and W. J. Nelson

1227 **P- and E-selectin use common sites for carbohydrate ligand recognition and cell adhesion.**
D. V. Erbe, S. R. Watson, L. G. Presta, B. A. Wolitzky, C. Foxall, B. K. Brandley, and L. A. Lasky

1237 **Molecular characterization and in situ mRNA localization of the neural recognition molecule J1-160/180: A modular structure similar to tenascin.**
B. Fuss, E.-S. Wintergerst, U. Bartsch, and M. Schachner

1251 **Mouse differentiation-specific keratins 1 and 10 require a preexisting keratin scaffold to form a filament network.**
T. Kartasova, D. R. Roop, K. A. Holbrook, and S. H. Yuspa

1263 **Posttranscriptional regulation of GAP-43 gene expression in PC12 cells through protein kinase C–dependent stabilization of the mRNA.**
N. I. Perrone-Bizzozero, V. V. Cansino, and D. T. Kohn

1271 **Structurally related class I and class II receptor protein tyrosine kinases are down-regulated by the same E3 protein coded for by human group C adenoviruses.**
E. Kuivinen, B. L. Hoffman, P. A. Hoffman, and C. R. Carlin

1281 **Interleukin-6 undergoes transition from paracrine growth inhibitor to autocrine stimulator during human melanoma progression.**
C. Lu and R. S. Kerbel

1289 **Placement Service Notices**

1293 **Phosphorylation on protein kinase C sites inhibits nuclear import of lamin B_2.**
H. Hennekes, M. Peter, K. Weber, and E. A. Nigg

1305 **Morphogenesis in the yeast cell cycle: Regulation by cdc28 and cyclins.**
D. J. Lew and S. I. Reed

1321 **Effect of caffeine and reduced temperature (20°C) on the organization of the pre-Golgi and the Golgi stack membranes.**
J. Jäntti and E. Kuismanen

1337 **Polarity and reorganization of the endoplasmic reticulum during fertilization and ooplasmic segregation in the ascidian egg.**
J. E. Speksnijder, M. Terasaki, W. J. Hage, L. F. Jaffe, and C. Sardet

1347 **Apical secretion of apolipoproteins from enterocytes.**
E. M. Danielsen, G. H. Hansen, and M. D. Poulsen

1357 **Annexin II is a major component of fusogenic endosomal vesicles.**
N. Emans, J.-P. Gorvel, C. Walter, V. Gerke, R. Kellner, G. Griffiths, and J. Gruenberg

1371 **Endothelial cell cytosolic free calcium regulates neutrophil migration across monolayers of endothelial cells.**
A. J. Huang, J. E. Manning, T. M. Bandak, M. C. Ratau, K. R. Hanser, and S. C. Silverstein

1381 **Relative distribution of actin, myosin I, and myosin II during the wound healing response of fibroblasts.**
P. A. Conrad, K. A. Giuliano, G. Fisher, K. Collins, P. T. Matsudaira, and D. L. Taylor

1393 **Identification, characterization and cloning of myr 1, a mammalian myosin-I.**
C. Ruppert, R. Kroschewski, and M. Bähler

1405 **Mammalian myosin Iα, Iβ, and Iγ: New widely expressed genes of the myosin I family.**
E. H. Sherr, M. P. Joyce, and L. A. Greene

1417 **Cortactin, an 80/85 kilodalton $pp60^{src}$ substrate, is a filamentous actin-binding protein enriched in the cell cortex.**
H. Wu and J. T. Parsons

1427 **The transport properties of axonal microtubules establish their polarity orientation.**
P. W. Baas and F. J. Ahmad

1439 **Production of a unique antibody specific for membrane ruffles and its use to characterize the behavior of two distinct types of ruffles.**
T. Hasegawa

1449 **Depletion of intracellular potassium disrupts coated pits and reversibly inhibits cell polarization during fibroblast spreading.**
G. Altankov and F. Grinnell

1461 **Expression of tissue transglutaminase in skeletal tissues correlates with events of terminal differentiation of chondrocytes.**
D. Aeschlimann, A. Wetterwald, H. Fleisch, and M. Paulsson

1471 **Synthesis of nerve growth factor mRNA in cultures of developing mouse whisker pad, a peripheral target tissue of sensory trigeminal neurons.**
M. Schörnig, R. Heumann, and H. Rohrer

1481 **Regulation of the differentiation of WEHI-3B D^+ leukemia cells by granulocyte colony-stimulating factor receptor.**
J. Li, D. C. Koay, H. Xiao, and A. C. Sartorelli

1491 **Thrombin receptor peptide inhibits thrombin-induced increase in endothelial permeability by receptor desensitization.**
H. Lum, T. T. Andersen, A. Siflinger-Birnboim, C. Tiruppathi, M. S. Goligorsky, J. W. Fenton II, and A. B. Malik

1501 **Evidence that activation of platelet calpain is induced as a consequence of binding of adhesive ligand to the integrin, glycoprotein IIb-IIIa.**
J. E. B. Fox, R. G. Taylor, M. Taffarel, J. K. Boyles, and D. E. Goll

1509 **Immune complex–stimulated neutrophil LTB_4 production is dependent on β_2 integrins.**
I. L. Graham, J. B. Lefkowith, D. C. Anderson, and E. J. Brown

1519 **A novel LFA-1 activation epitope maps to the I domain.**
R. C. Landis, R. I. Bennett, and N. Hogg

1529 **Inhibition of PMA-induced, LFA-1–dependent lymphocyte aggregation by ADP ribosylation of the small molecular weight GTP binding protein, *rho*.**
T. Tominaga, K. Sugie, M. Hirata, N. Morii, J. Fukata, A. Uchida, H. Imura, and S. Narumiya

1539 **AUTHOR INDEX FOR VOLUME 120**

1547 **SUBJECT INDEX FOR VOLUME 120**